



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

March 2, 2011

Tory Wulf
c/o REPO LLC
PO Box 7
Brewster WA 98812-0007

Re: Ground Water Permit No. G4-30953P

Dear Mr. Wulf:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Approximately 350 of 500 authorized acres have been developed.
- Delivery system repair is needed.

The new deadline to submit your *Construction Notice* is **August 1, 2013**.

Please be reminded that according to the Provisions of the above-referenced Permit:

Prior to completion of construction being considered complete the permittee shall provide to the Department a legible as build drawing, to scale, of lands serviced by state waters from this withdrawal facility. The drawing is to include the distribution system installed and shall show locations of all booster pumps, mainlines, flow meters, and parcels.

Additionally,

Valving at the interconnections shall be required to avoid unauthorized use and allow for regulation during periods of minimum flow violations of the Columbia River. Valved measuring devices will be required upon each withdrawal to allow for proper measurement and regulation of each authorization.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Ste 301 Tumwater WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Teresa Mitchell at 509-575-2597.

Sincerely,



Mark C. Schuppe
Section Manager
Water Resources Program

MCS:CLG:gh
110308

Enclosures: *Construction Notice*
Your Right to Be Heard

By certified mail: 7007 2560 0001 9535 4837
CC extension granted.doc