



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

November 25, 2008
CERTIFIED MAIL
7007 2560 0001 17675 1037

Mr. Steve Newhouse
6020 Gap Road
Outlook WA 98938

Re: Ground Water Permit No. G4-30170(B)P Extension Request

Dear Mr. Newhouse:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Recent assignment of a 10-acre portion of the permit.
- Additional time is required for a change authorization decision to clear the Yakima County Conservancy Board (YCCB).

The new deadline to submit your *Construction Notice* is **December 1, 2009**.

For your information, I have included definitions of the three construction stages and a copy of the provisions that were added as a condition of the previous extension to update the permit requirements:

BEGINNING OF CONSTRUCTION (BC)

Beginning of well drilling or any development of a surface water source or distribution system constitutes beginning of construction.

COMPLETION OF CONSTRUCTION (CC)

The distribution system must be complete: all mainlines installed and service connections on line, pumps installed and the ability to actually deliver water to the complete project in place OR all mainlines have been put in place and made ready for use, pumps installed, and the ability to actually deliver water to the complete project is operational.

PROOF OF APPROPRIATION (PA)

Upon complete beneficial use of the water in agreement with the terms of the permit (including metering), or for any lesser amount, a PA form is appropriate.



Mr. Steve Newhouse

November 25, 2008

Page 2

You have a right to appeal this decision. To appeal this decision you must:

- File your appeal with the Pollution Control Hearing Board within 30 days of the “date of receipt” of this document. Filing means actual receipt by the Board during regular office hours.
- Serve your appeal on the Department of Ecology within 30 days of the “date of receipt” of this document. Service may be accomplished by any of the procedures identified in WAC 371-08-305(10). “Date of receipt” is defined at RCW 43.21B.001(2).

Be sure to do the following:

- Include a copy of this document that you are appealing with your Notice of Appeal.
- Serve and file your appeal in paper form; electronic copies are not accepted.

1. To file your appeal with the Pollution Control Hearings Board:

Mail appeal to:

OR

Deliver your appeal in person to:

The Pollution Control Hearings Board
PO Box 40903
Olympia WA 98504-0903

The Pollution Control Hearings Board
4224 – 6th Ave SE Rowe Six, Bldg 2
Lacey WA 98503

2. To serve your appeal on the Department of Ecology:

Mail appeal to:

OR

Deliver your appeal in person to:

The Department of Ecology
Appeals and Application for Relief
Coordinator
PO Box 47608
Olympia WA 98504-7608

The Department of Ecology
Appeals and Application for Relief
Coordinator
300 Desmond Dr SE
Lacey WA 98503

3. And send a copy of your appeal packet to:

Mark C. Schuppe
The Department of Ecology
Central Region Office
15 W Yakima Ave Ste 200
Yakima WA 98902-3452


For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>

To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>

Mr. Steve Newhouse
November 25, 2008
Page 3

If you have any questions, please contact Teresa Mitchell at 509-575-2597.

DATED this 25th day of November 2008.



Mark C. Schuppe
Acting Section Manager
Water Resources Program
Central Regional Office

MS:CM:gh
081119

Enclosure: Construction Notice form
Copy of Added Provisions for No. G4-30170(B)P

Cc: Yakima Co Conservancy Board