



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

November 10, 2010

Ms. Jill B. Goodrich
Pelican Point Water Company
P.O. Box 458
Moses Lake, Washington 98837

Re: Ground Water Permit No. G3-29334

Dear Ms. Goodrich:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Complete the additional home development and install source meters on all of the wells.

The new deadline to submit your *Construction Notice* is **November 1, 2015**. The following provisions shall apply.

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded weekly. The maximum rate of diversion/withdrawal and the annual total volume shall be submitted to Ecology by January 31st of each calendar year.

The following information shall be included with each submittal of water use data: owner, contact name if different, mailing address, daytime phone number, WRIA, Permit/Certificate/Claim No., source name, annual quantity used including units, maximum rate of diversion including units, weekly meter readings including units,

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision.

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.




I certify that I mailed this letter or an identical copy thereof, postage prepaid, to the above addressee(s) this 10th day of November 2010. *MD*
 Water Resources Program, Secretary Senior, Molly A. Davis

Your Right to Be Heard

Enclosures: Construction Notice
 W: Extensions/letters/Brown/2010/Pelican Point Water Co. G3-29334 11-10-2010.doc
 KLS/KB:md

Eastern Regional Office
 Water Resources Program
 Section Manager

Keith L. Stoffel

 Sincerely,

If you have any questions, please contact Kevin Brown at 509-329-3422.

Mailing Addresses	Street Addresses
<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p> <p>Keith Stoffel Department of Ecology 4601 N. Monroe St. Spokane, WA 99205</p>	<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p>Pollution Control Hearings Board 111 Israel RD SW STE 301 Tumwater, WA 98501</p> <p>Keith Stoffel Department of Ecology 4601 N. Monroe St. Spokane, WA 99205</p>

ADDRESS AND LOCATION INFORMATION

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- Serve a copy of your appeal and this decision on [local jurisdiction] in paper form - by mail or in person. (See address below.) E-mail is not accepted.