



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

April 14, 2010

The Ridge at Hangman Homeowners Association
604 West Main Avenue, Ste 400
Spokane, Washington 99201

Re: Ground Water Permit No. G3-28767

Dear Sir or Madam:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

According to your request, the economic downturn has resulted in an inability to devolve the project in the time allotted. It appears you have made substantial goals in completing your project. Your request is for ten years but has been reduced to a reasonable and shorter period of time. We will grant you an additional five years to complete your project.

The new deadline to submit your *Construction Notice* is **April 1, 2015**.

An approved measuring device shall be installed and maintained for each of the sources authorized by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to the Department of Ecology upon request.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

You have a right to appeal this decision. To appeal this you must:

- File your appeal with the Pollution Control Hearings Board within 30 days of the "date of receipt" of this document. Filing means actual receipt by the Board during regular office hours.
- Serve your appeal on the Department of Ecology within 30 days of the "date of receipt" of this document. Service may be accomplished by any of the procedures identified in WAC 371-08-305(10). "Date of receipt" is defined at RCW 43.21B.001(2).



Be sure to do the following:

- Include a copy of the document that you are appealing.
- Serve and file your appeal in paper form; electronic copies are not accepted.

1. To file your appeal with the Pollution Control Hearings Board

Mail appeal to:		Deliver your appeal in person to:
The Pollution Control Hearings Board	OR	The Pollution Control Hearings Board
PO Box 40903		4224 – 6th Ave SE Rowe Six, Bldg 2
Olympia WA 98504-0903		Lacey WA 98503

2. To serve your appeal on the Department of Ecology

Mail appeal to:		Deliver your appeal in person to:
The Department of Ecology	OR	The Department of Ecology
Appeals Coordinator		Appeals Coordinator
PO Box 47608		300 Desmond Dr SE
Olympia WA 98504-7608		Lacey WA 98503


3. And send a copy of your appeal to:

Keith L. Stoffel
Department of Ecology
Eastern Regional Office
4601 N. Monroe St.
Spokane WA 99205

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>.
To find laws and agency rules visit the Washington State Legislature Website:
<http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Dan Tolleson at 509-329-3526.

Sincerely,


Keith L. Stoffel
Section Manager
Water Resources Program
Eastern Regional Office

KLS/DT:md

W: Extensions/letters/Tolleson/2010/The Ridge at Hangman Home G3-28767 4-14-2010.doc

Enclosures: *Construction Notice*
Your Right to Be Heard

I certify that I mailed this letter or an identical copy thereof, postage prepaid, to the above addressee(s) this 14 day of April, 2010. 
Water Resources Program, Secretary Senior, Molly A. Davis .