



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 10, 2015

Gregory Hill
1215 N 47th Street
Seattle, WA 98103

Re: Water Right No. S2-29452

Dear Mr. Hill:

Thank you for submitting your Construction Notice reporting you have begun construction of your water system. Although you are currently in compliance with your development schedule, you anticipate a need for an extension to complete construction of your project and submitted an extension request and fee for this purpose.

In response to your request, you are hereby granted an extension to complete construction for the reasons below:

- Due diligence is shown in development of this permit. Electrical power has been extended to the pump location. Water system construction has begun with temporary works in place to minimize damage to the water system from high turbidity during the winter months and loss from theft which has been a problem at this site.
- An extension is needed to complete construction with permanent works due to the remote location and seasonal nature of work on this project for domestic supply of a vacation cabin.

Enclosed is a *Complete Construction Notice* to report when you have completed construction of your water system. Also enclosed is *Meter Form 1* which must be completed and filed with this notice.

The new deadline to submit this notice is **November 1, 2018**.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.


If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,


Michael J. Gallagher
Section Manager
SWRO Water Resources

MJG:MP:th

Enclosures: *Complete Construction Notice*
Meter Form 1
Your Right to Be Heard

BY CERTIFIED MAIL: 7014 0150 0000 9188 6671