

WATER TRANSFER WORKING GROUP PROJECT DESCRIPTION

APPLICATION NO./COURT CLAIM NO.		
Water Budget Neutral (WBN) Request No. G4-35681 with mitigation from Trust Water Right No. CS4-01939sb9(B)		
APPLICANT NAME Craig and Charlene Savio	CONTACT NAME Anne Watanabe	TELEPHONE NO. 509-649-5218
WATER RIGHT HOLDER'S NAME (if different) Yakima River Mitigation Services Kuchin		EMAIL annew@inlandnet.com

DATE OF APPLICATION 3/12/2014	PRIORITY DATE
----------------------------------	---------------

WATER SOURCE: Well (Ecology Well Id ALC-444)	CROP: None
INSTANTANEOUS QUANTITY: 10 gpm	ANNUAL QUANTITY: 0.280 acre-feet/year (afy)
PERIOD OF USE: Continuous for a single domestic and seasonal irrigation for 0 sq feet of lawn and garden	
PLACE OF USE: Parcel No. 952830 located within the NW ¹ / ₄ SW ¹ / ₄ of Section 16, T. 21N., R. 14 E.W.M.	PURPOSE OF USE: Single Domestic
IRRIGATION METHOD:	

<p>CONSUMPTIVE USE CALCULATION:</p> <p>Indoor use: One residential connections at 250 gallons per day (gpd) used continuously year round equates to 0.280 afy of water use. Consistent with WAC 173-539A-050(3), 30% of domestic in-house use on a septic system is consumptively used, therefore: Indoor consumptive use = 0.084 afy</p> <p>Outdoor use: The requestor proposes to irrigate 0 ft² of lawn and garden. Using a crop irrigation requirement of 18.11 in/yr (or 1.51 ft/yr) for pasture/turf near Cle Elum from the Washington Irrigation Guide and an application efficiency of 80%, the total outdoor irrigation water use is 0 afy. Consistent with WAC 173-539A-050(3), 90% of outdoor use is consumptively used, so: Outdoor consumptive use = 0 afy CU for the project totals to 0.084 afy (CU April 1 to August 31 is 0.035 ac-ft and CU Sept 1 to March 31 is 0.049 ac-ft)</p>

<p>NARRATIVE DESCRIPTION OF PROJECT:</p> <p>The requestor proposes to offset the 0.084 afy of consumptive use for the project (One residential connection and 0 ft² of lawn and garden) with 0.084 afy of mitigation water acquired from Trust Water Right No. CS4-01939sb9(B). During the irrigation season,</p>
--

0.049 ac-ft is assigned to the USBR-Ecology Exchange Contract (Contract No. 09XX101700) and released between September 1 and March 31 to address out-of-season impacts along the Yakima River.

Review of the local area hydrogeology suggests that the proposed groundwater withdrawals under G4-35681 may result in flow impacts to Cle Elum Lake.

WTWG Project form

Location Map for G4-35681




Figure 1: Location of the POU for the G4-35681 WBN request.