

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
YAKIMA, WASHINGTON

Update
SW Cert. 155

CERTIFICATE OF CHANGE, VOL. NO. 1-4, PAGE 188, FOR CHANGE OF POINTS OF DIVERSION AND ADDITIONAL POINT OF DIVERSION OF SURFACE WATER AS GRANTED BY SURFACE WATER CERTIFICATE NO. 155, DECREED RIGHT, STATE OF WASHINGTON VS. ACHFOHL, ET AL, CAUSE NO. 18279, AHANUM CREEK ADJUDICATION.

In accordance with the provisions of Chapter 117, Laws of Washington for 1917, and the regulations of the State Director of the Department of Ecology.

This is to certify that the B. Mable Scott estate, Gemella Clausing, Administrator, of Yakima, Washington has complied with all of the requirements of the Revised Code of Washington, Section 90.03.380, and is hereby granted the right to change two points of diversion and add a point of diversion in the amount of 1.24 cubic feet per second as authorized under Surface Water Certificate 155. The change will not affect the spring water diversion in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 11, T. 12 N., R. 17 E.W.M., Yakima County.

That the use of said water is for irrigation of 62 acres of lands located within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 11 and Gov't Lot 4 in Sec. 14; all in T. 12 N., R. 17 E.W.M., Yakima County.

That the existing points of diversion are 100 feet north and 400 feet east from the south quarter corner of Section 11 within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of said Sec. 11 and also within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 14; all within T. 12 N., R. 17 E.W.M., Yakima County.

That said water can now be diverted from a point 50 feet north and 660 feet west of the southeast corner of Section 11 within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of said section and 1000 feet south and 660 feet west from the northeast corner of Section 14 within Gov't Lot 4 of said section; all within T. 12 N., R. 17 E.W.M., Yakima County.

That in addition to the two points of diversion, an additional point is authorized which is to be located 1800 feet south and 500 feet west from the northeast corner of Section 16 within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of said section in T. 12 N., R. 17 E.W.M., Yakima County.

The total instantaneous diversion from all of the points of diversion shall not exceed 1.24 cubic feet per second.

GIVEN UNDER MY HAND AND SEAL of this office at Yakima, Washington this 19th day of May, 1981.

Donald Moos, Director
Department of Ecology

by Russell K. Taylor
RUSSELL K. TAYLOR
Regional Manager

Recorded:
Vol. 1-4, Page 188
Certificate of Change

ENGINEERING DATA
OK AB

sgf