




State of Washington Application for a Water Right



For Ecology Use
 Fee Paid \$10.00
 Date 5-1-98
 CK # 2857 *ZK*

Please follow the attached instructions to avoid unnecessary delays.
Riverside application was resubmitted 1/7/1999 to process per request letter 1/4/99. ZK

Maintain original priority date.

Section 1. APPLICANT - PERSON, ORGANIZATION, OR WATER SYSTEM

Name (Riverside School District #416) Home Tel: (____) _____ - _____
 Mailing Address 34515 N. Newport Hwy. Work Tel: (509) 292 - 0201
 City (Chattaroy) State WA Zip+4 99003 + 9734 FAX: (509) 292 - 0606

Section 2. CONTACT - PERSON TO CALL ABOUT THE APPLICATION

Same as above

Name Greg Minden/Doug Christy Home Tel: (509) 292 - 0245 (G.M.)
 Mailing Address 34515 N. Newport Hwy. Work Tel: (509) 292 - 0239
 City Chattaroy State WA Zip+4 99003 + 9734 FAX: (509) 292 - 0381
 Relationship to applicant Facilities Manager/Assistant Facilities Manager and Water Manager

Section 3. STATEMENT OF INTENT

The applicant requests a permit to use not more than _____
 cubic feet per second) from a surface water source or ground water source (check only one) for the purpose(s) of Domestic Public Supply and Non-Agricultural Irrigation. ATTACH A "LEGAL"

increase of 250 gpm for this new application ZK

DESCRIPTION OF THE PLACE OF USE. (See instructions.) NOTE: A tax parcel number or a plat number is not sufficient. See attachments for legal descriptions.

clarification per pl. call ZK

Estimate a maximum annual quantity to be used in acre-foot per year: 219 to 300 ← *proposed increase to 300 (81 ac-ft. increase)*

current use on G3-28037C

Check if the water use is proposed for a short-term project. Indicate the period of time that the water will be needed:

(Seasonal Irrigation of 15 acres)
 From ___/___/___ to ___/___/___

Section 4. WATER SOURCE

If SURFACE WATER	If GROUNDWATER
Name the water source and indicate if stream, spring, lake, etc. If unnamed, write "unnamed spring," "unnamed stream," etc.:	A permit is desired for <u>1-3 New</u> well(s). Site has 3 existing wells. We are looking for <u>250 GMP</u> of new withdrawal capacity.
Number of diversions: _____	<i>+ 3 existing wells = 6 TOTAL</i>
Source flows into (name of body of water):	Size & depth of well(s): #1-8" x 127 ft. 65 GPM #2-8" x 160 Ft. 90 GPM #3-8" x 120 Ft. 200 GPM

allowing 60 so they can either expand current wells or drill up to 3 new ones if needed ZK

LOCATION

Enter the north-south and east-west distances in feet from the point of diversion or withdrawal to the nearest section corner:
 #1) 550 feet north and 200 feet west from the E $\frac{1}{4}$ corner of Sec. 34, within Se $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$; #2) 75 feet south and 250 feet east of the center of Sec. 34, within NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$; and #3) 450 feet south and 400 feet east from the center of Sec. 34, within NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$;

1/4 of	1/4 of	Section	Township	Range (E/W)	County	If location of source is platted, complete below:		
						Lot	Block	Subdivision
<i>(S$\frac{1}{2}$ NE$\frac{1}{4}$ and SE$\frac{1}{4}$)</i>								
#1 SE	NE	34	29N	43E	Spokane			
#2 NW	SE	34	29N	43E	Spokane			
#3 NW	SE	34	29N	43E	Spokane			

For Ecology Use Date Received: MAY 1, 1998 Priority Date: 5/1/98
 SEPA: Exempt/Not Exempt FERC License # _____ Dept. Of Health # _____
 Date Accepted As Complete 7/15/1999 By ZK Date Returned _____ By _____ WRIA: 55

Section 5. GENERAL WATER SYSTEM INFORMATION

A. Name of system, if named: Riverside School District Central Site

B. Briefly describe your proposed water system. (See instructions.)

Existing System: A three well system with above grade atmospheric tank storage utilizing sequential booster pumps for utilization pressure and flow. System consists of master-satellite irrigation programmer for minimum impact on domestic use. Piping consists of two 8-inch fire protection loops with domestic and irrigation waters extracted from same. Proposed Improvements: New well (s) producing around 250 GPM of additional withdrawal capacity, increased booster pump capacity, computerized irrigation control system, and possible additional tank storage capacity. System improvements will be engineered starting June 1998.

C. Do you already have any water rights or claims associated with this property or system? YES NO
PROVIDE DOCUMENTATION.

Certificate of Water Right G3-28037C --- See copy attached.

Section 6. DOMESTIC/PUBLIC WATER SUPPLY SYSTEM INFORMATION

(Completed for all domestic/public supply uses.)

(increase for irrigation purposes only) - verified with Greg Mendenhall

A. Number of "connections" requested: N/A Type of connection N/A
No new connections required (Homes, Apartment, Recreational, etc.)

B. Are you within the area of an approved water system? Except for RSD system. YES NO
If yes, explain why you are unable to connect to the system. Note: Regional water systems are identified by your County Health Department.

Complete C. and D. only if the proposed water system will have fifteen or more connections.

C. Do you have a current water system plan approved by the Washington State Department of Health? YES NO
If yes, when was it approved? _____ Please attach the current approved version of your plan.

D. Do you have an approved conservation plan? YES NO
If yes, when was it approved? _____ Please attach the current approved version of your plan.

Section 7. IRRIGATION/AGRICULTURAL/FARM INFORMATION

(Completed for all irrigation and agriculture uses.)

A. Total number of acres to be irrigated: 45 Non-Agricultural 15 + this new app. of 15 acres
Primarily athletic and play fields. TOTAL COMBINED ACRES with G3-28037 (30 acres)

B. List total number of acres for other specified agricultural uses:

Use Sports fields (athletic & play) Acres 15 TOTAL INCREASE WITH THIS APPLICATION.
Use _____ Acres _____
Use _____ Acres _____

C. Total number of acres to be covered by this application: The district owns around 185 acres at the central site.

D. Family Farm Act (Initiative Measure Number 59, November 3, 1977)

Add up the acreage in which you have a controlling interest, including only:

- ‡ Acreage irrigated under water rights acquired after December 8, 1977;
 - ‡ Acreage proposed to be irrigated under this application;
 - ‡ Acreage proposed to be irrigated under other pending application(s).
- N/A

1. Is the combined acreage greater than 2000 acres? YES NO
2. Do you have a controlling interest in a Family Farm Development Permit? YES NO
If yes, enter permit no.: _____

E. Farm uses:
Stockwater - Total # of animals _____ Animal Type _____ (If dairy cattle, see below)
Dairy - # Milking _____ # Non-milking _____

N/A - 1 138 330167

Section 8. WATER STORAGE

Will you be using a dam, dike, or other structure to retain or store water?

YES NO

We are using atmospheric steel tanks for storage.

NOTE: If you will be storing 10 acre-feet or more of water and/or if the water depth will be 10 feet or more at the deepest point, and some portion of the storage will be above grade, you must also apply for a reservoir permit. You can get a reservoir permit application from the Department of Ecology.

Section 9. DRIVING DIRECTIONS

Provide detailed driving instructions to the project site. From Spokane

Drive North from the Division Street Y on State Highway 2, turn left on the Deer Park-Milan Road. The RSD Central Site is on the SW corner of State hwy. 2 and the Deer Park-Milan Road.

Section 10. REQUIRED MAP

- A. Attach a map of the project. (See instructions.) See attached copy of Spokane County Assessor's map and copy of aerial photograph of RSD Central Site.

Section 11. PROPERTY OWNERSHIP

- A. Does the applicant own the land on which the water will be used? YES NO
If no, explain the applicant's interest in the place of use and provide the name(s) and address(es) of the owner(s):

- B. Does the applicant own the land on which the water source is located? YES NO
If no, submit a copy of agreement:

I certify that the information above is true and accurate to the best of my knowledge. I understand that in order to process my application, I grant staff from the Department of Ecology access to the site for inspection and monitoring purposes. Even though I may have been assisted in the preparation of the above application by the employees of the Department of Ecology, all responsibility for the accuracy of the information rests with me.

Jerry M. Wilson
Applicant (or authorized representative)
Jerry M. Wilson, Superintendent

April 29, 1998
Date

Same
Landowner for place of use (if same as applicant, write "same")

Date

I have examined this application as required by SEPA and find that it is: not an "action".

categorically exempt.
7/15/99 S. Kiefer
DATE SIGNATURE

G 330167

Use this page to continue your answers to any questions on the application. Please indicate section number before answer.

We are returning your application for the following reason(s):	
_____ Examination fee was not enclosed	APPLICANT PLEASE RETURN TO CASHIER, PO BOX 5128, LACEY, WA 98509-5128
_____ Section number(s) _____ is/are incomplete	APPLICANT PLEASE RETURN TO THE APPROPRIATE REGIONAL OFFICE
Explanation: <i>of WRIA 55 - little Spokane River Watershed management specs.</i>	
Please provide the additional information requested above and return your application by _____ (date).	

If you wish to resubmit this application for formal processing, please return this entire packet by January 25, 1999.

Ecology staff *Linda M. Heger* Date *12/24/98*

Returned to process
OK
LR

Ecology is an Equal Opportunity and Affirmative Action employer.

To receive this document in alternative format, contact the Water Resources Program at (360) 407-6604 (Voice) or (360) 407-6006 (TDD).

G 330167