


APPLICATION FOR PERMIT



pd. \$10.00
9/23/96
ok # 2866

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G329996	W.R.I.A. 41	COUNTY GRANT	PRIORITY DATE 9-23-96	TIME	ACCEPTED OK
APPLICANT'S NAME — PLEASE PRINT (Wes Kooy)				Bus. Tel. (509) 787-3184	
ADDRESS (STREET) 10995 Stuhlmueller Rd.				(CITY) (Quincy)	(STATE) (WA.)
DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION				(ZIP CODE) 98848	

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) (A Well)
TRIBUTARY	SIZE AND DEPTH 8" 567'

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
Irrigation Supply, Single Domestic & Stock Water

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: CUBIC FEET PER SECOND (CFS) OR GALLONS PER MINUTE (GPM) (40 GPM)	ACRE FEET PER YEAR
TIMES DURING YEAR WATER WILL BE REQUIRED March - October - Irrigation	
All year - Domestic & Stock	
IF IRRIGATION, NUMBER OF ACRES 5	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC. 1 - Home
DATE PROJECT WAS OR WILL BE STARTED Upon approval	DATE PROJECT WAS OR WILL BE COMPLETED Unknown

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT 4	BLOCK 1-X	OF (GIVE NAME OF PLAT OR ADDITION) New Town of Trinidad	SECTION 7	TOWN 20N	RANGE 23E	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION within NW 1/4 NW 1/4 of →
-----------------	---------------------	---	---------------------	--------------------	---------------------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION, SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	COUNTY
---	---------	-------------	-----------------------	--------

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER
Yes

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

Lots 10-18 of Block 12X, Lots 1-18 of Block 13X, Lots 1-18 of Block 24X, and Lots 1-20 of Block 25X located in the northwest corner of the New Town of Trinidad.

I have examined this application as required by SEPA and find that it is: not an "action". categorically exempt.

11/13/96
[Signature]
DATE SIGNATURE

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

Property owner

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

10 H.P. Submersible - 40 GPM at 50 PSI Surface pressure. Approximately 500' of 3" PVC Mainline with 4 valves about 60' apart which will feed a 900' wheel line with 22 sprinkler heads each delivering about 1.8 gallons per minute.

REMARKS

7.

8. COMPLETE THIS SECTION ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE

IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS ON NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS:

DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLOWING THREE CATEGORIES:

- 1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977. YES NO
2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY. YES NO
3. LANDS THAT MAY BE IRRIGATED UNDER THIS APPLICATION. YES NO

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Wesley Kooy APPLICANT'S SIGNATURE

Wesley Kooy LEGAL LANDOWNER'S NAME (PLEASE PRINT)

Wesley Kooy LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

10995 Stuhlmiller Rd. N.W. LEGAL LANDOWNER'S ADDRESS Quincy, WA. 98848

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } ss.


This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before, 19.

Witness my hand this day of, 19.

SECTION MAP

Sec. 7 Twp. 20 N N. R. 23 E



Scale: 1 inch = 800 feet (each small square = 10 acres)


Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.

Indicate traveling directions from nearest town in space below.


From Quincy, go west on highway 28 for approximately 13 miles. One thousand feet after passing under a railroad crossing, turn right on Stuhl Miller Rd. This is a curving road traveling north and west. Stay on Stuhl Miller for about 2.5 miles. You will come to a dirt road just on the north edge of an orchard. Go east on this dirt road for about 1/2 mile. You should have arrived at the N.W. corner of the above section.

Detach here

Fold along scale



Detach this scale at the performance, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. Please submit your completed application form, maps, sketches, and \$10.00 examination fee to the appropriate Regional Office.

Northwest Regional Office
 3190 - 160th Avenue S.E.
 Bellevue, WA 98008-5452
 Tel. (206) 649-7000

Central Regional Office
 3601 West Washington
 Yakima, Washington 98903-1164
 Tel. (509) 575-2800

Southwest Regional Office
 7272 Cleanwater Lane
 Olympia, Washington 98504-6811
 Tel. (206) 586-6380

Eastern Regional Office
 N. 4601 Monroe, Suite 100
 Spokane, Washington 99205-1295
 Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.