STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
April 5, 1993	G3-29446	G3-29446 P	

NAME
CURLEW CREST

ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
8198 HWY 262 E., Box 7	Othello,	Washington	99344

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE
A Well

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR
	100	16

QUANTITY, TYPE OF USE, PERIOD OF USE
100 gallons per minute, 16 acre feet per year, continuously, for group domestic supply of 8 homes.

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION–WITHDRAWAL
270 feet north and 1740 feet west from the SE corner of Sec. 18.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
SW¼SE¼	18	17	28 E.	41	Grant

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Legal description of property on which water is to be used - 8 homesites, listed in numerical order:

1. That portion of the NE¼SE¼ of Sec. 18, T. 17 N., R. 28 E.W.M., described as follows: Commencing at the Southeast corner of said subdivision ("the point of beginning"); thence S 89°55'59" W along the Southerly boundary line thereof 337.0 feet; thence N 0°59'51" E parallel with and 337.0 feet distant from the Easterly line thereof 300.0 feet; thence N 89°55'59" East 337.0 feet, more or less, to the East line of said subdivision; thence S 0°59'51" W 300.0 feet, more or less, along the Easterly line of said subdivision to the point of beginning.

All that portion of the NE¼SE¼ of Sec. 18, T. 17 N., R. 28 E.W.M., lying outside of Irrigation Block 80, Columbia Basin Project, Washington, as shown on the Second Revision to the Farm Unit Plat of said Block as recorded in Grant County on August 20, 1962.

2. All that portion of the NE¼SE¼ of Sec. 18, T. 17 N., R. 28 E.W.M., lying outside Irrigation Block 80, Columbia Basin Project, Washington, as shown on the Second Revision to the Farm Unit Plat of said Block recorded in Grant County on August 20, 1962, EXCEPTING THEREFROM that portion thereof described as follows: Commencing at the SE corner of said Subdivision, ("the point of beginning"); thence South 89°55'59" W along the Southerly line thereof 337.0 feet; thence N 0°59'51" E parallel with and 337.0 feet distant from the Easterly line thereof 300.0 feet; thence N 89°55'59" E 337.0 feet, more or less, to the East line of said Subdivision; thence S 0°59'51" W 300.0 feet, more or less, along the Easterly line of said Subdivision to the Point of Beginning.

(Legal Description Continued on Page 3)

DESCRIPTION OF PROPOSED WORKS

Drilled Well - 8" X 630', 10 H.P. Pump; 25-30,000 gallon reservoir.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
Started	October 1, ~~1998~~ 2002	October 1, 1999

PROVISIONS

At such time that the Department of Ecology determines that management of the subject waters is necessary and in the public interest, an approved measuring device shall be installed and maintained in accordance with RCW 90.03.360 or WAC 508-64-020 through WAC 508-64-040.

The amount of water granted is a maximum limit that shall not be exceeded and the water user shall be entitled only to that amount of water within the specified limit that is beneficially used and required.

This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

A certificate of water right will not be issued until a final examination is made.

The water quantities and uses recommended and/or the number of acres to be irrigated may be reduced at the time of issuance of a final water right commensurate with the capacity of the installed system and the uses and/or the number of acres actually irrigated.

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances, or regulations.

Installation and maintenance of an access port as described in Ground Water Bulletin No. 1 is required. An airline and gage may be installed in addition to, the access port.

All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).

A well log of the completed well shall be submitted by the driller to the Department of Ecology within thirty (30) days of completion of this well. This well log shall be complete and all information concerning the static water level in the completed well in addition to any pump test data shall be submitted as it is obtained.

The well(s) shall be completed within the shallow management unit and is restricted to be drilled no deeper than 200 feet into the Quincy Basalt Zone (Chapter WAC 173-134A-080).

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Spokane, Washington,

this 18th day of January, 1995.

Department of Ecology

ENGINEERING DATA
OK CAC

by Bruce F. Howard
BRUCE F. HOWARD, Section Manager
Water Resources Program

COPY

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
4601 N. Monroe, Suite 202 • Spokane, Washington 99205-1295 • (509) 456-2926

January 18, 1995

Curlew Crest
8198 Hwy 262 E., Box 7
Othello, WA 99344

Dear Sir:

Enclosed is Permit No. G3-29446P. We are in receipt of your permit fees in the amount of $20.00. The examination report indicates you have already begun construction of your project. Under the development schedule contained in the permit, construction work for your project shall be completed by October 1, 1998.

We are also enclosing a Notice of Completion of Construction to be sent to this office when you have finished the work.

Please read carefully the enclosed instruction sheet as well as both sides of your permit.

Sincerely,

Cindy A. Christian

Cindy A. Christian
Water Resources Program

CAC:aal
Enclosures