

WASHINGTON STATE  
DEPARTMENT OF  
E C O L O G Y

APPLICATION FOR PERMIT

I have examined this application TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON as required by SEPA and find that it is:  not an "action"  SURFACE WATER  GROUND WATER

RECEIVED

NOV 23 1993

#110.00  
AG

DEPT. OF ECOLOGY

categorically exempt.  
\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION  
(GRAY BOXES FOR OFFICE USE ONLY)

12/20/93 DATE  
S. Kella Baker SIGNATURE

APPLICATION NO. <u>SI-27-366</u>	W.R.I.A. 07	COUNTY King	PRIORITY DATE <u>11.23.93</u>	TIME	ACCEPTED <u>LB</u>
APPLICANT'S NAME - PLEASE PRINT Skykomish River Hydro Attn: Lon Covin				Bus. Tel. 206-455-0234	Home Tel.
ADDRESS (STREET) 1422 130th Avenue N.E.				(CITY) Bellevue	(STATE) Washington
DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION				(ZIP CODE) 98005	Other Tel. 206-451-9457 (fax)

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE) Kelley Cr. (Diversion 1)/Martin Cr. (Diversion 2)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.)
TRIBUTARY Kelley Cr. is tributary to Martin Creek which flows into the Tye River (which eventually becomes the Skykomish River)	SIZE AND DEPTH

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)  
Non-consumptive Use for Hydroelectric Power Generation - year round as needed

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: Kelley Cr. - 58 cfs	CUBIC FEET PER SECOND (CFS) OR 158	GALLONS PER MINUTE (GPM)	ACRE FEET PER YEAR
Martin Cr. - 100 cfs			

TIMES DURING YEAR WATER WILL BE REQUIRED  
Entire year within the bounds of project operation (e.g., minimum instream flows and maximum powerhouse capacity)

IF IRRIGATION, NUMBER OF ACRES	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC.	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED August 1995 (est.)	DATE PROJECT WAS OR WILL BE COMPLETED December 1996 (est.)	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	---------	------	-------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION, SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

Kelley Cr. - Distance to NE Section Corner  $\cong$  0.5 mi; Martin Cr. - Distance to NE Section  $\cong$  0.4 mi

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	COUNTY
Kelley Cr. Diversion (Mt. Baker/Snoq. N.F.)	13	26N	12E	King
Martin Cr. Diversion (Mt. Baker/Snoq. N.F.)	13	26N	12E	King

*NE 1/4 per Lon Covin*

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER  
No - Mt. Baker/Snoq. N.F., U.S. Forest Service 21905, 64th Ave W, Mountlake Terrace, WA 98043

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

The diversions are located within the Mt. Baker - Snoqualmie Forest. The individual streams are Kelley Creek and Martin Creek which are located approximately 7 miles east of Skykomish, WA. The diversions would be located at or about elevation 2,743 feet. From the Martin Creek diversion, 810 feet of 44-inch diameter pipe would join 590 feet of 38-inch pipe from the Kelley Creek diversion. From this juncture, a common pipeline would continue for 10,436 feet to the powerhouse which is located at elevation 1,596 feet. The water would pass through the powerhouse and be discharged back into Martin Creek.

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

Property is on the Mt. Baker - Snoqualmie Forest, Property use by long-term Special Use Permit

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES  NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

(See Attached)

REMARKS

7. Skykomish River Hydro will submit a license application to the Federal Energy Regulatory Commission for this project in 1994. Following submittal, the Applicant will continue to pursue other permits (e.g., water rights, HPA, Corps, etc.) for the project.

8. COMPLETE THIS SECTION ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE

IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS ON NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS:

DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLOWING THREE CATEGORIES:

- 1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977. YES  NO
- 2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY. YES  NO
- 3. LANDS THAT MAY BE IRRIGATED UNDER THIS APPLICATION. YES  NO

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

*[Handwritten Signature]*  
APPLICANT'S SIGNATURE

U.S.D.A. FOREST SERVICE  
LEGAL LANDOWNERS NAME  
(PLEASE PRINT)

LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }  
DEPARTMENT OF ECOLOGY } ss.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows: .....


.....  
.....

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before ....., 19.....

Witness my hand this ..... day of ....., 19.....

SECTION MAP

Sec. ....13..... Twp. ....26N..... N. R. ....12E.....




Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile. Indicate traveling directions from nearest town in space below.


The site area (see attached map) is accessed by U.S. Highway 2, travelling east from Everett, Washington. Approximately 6 miles east of the town of Skykomish at mile post 55, the Old Cascade Highway provides access to the powerhouse location. U.S. Forest Service (USFS) Road No. 6710, which originates off the Old Cascade Highway, provides access to the upper portion of the Project.

Detach here

Fold along scale



Detach this scale at the performance, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. Please submit your completed application form, maps, sketches, and \$10.00 examination fee to the appropriate Regional Office.

Northwest Regional Office  
3190 - 160th Avenue S.E.  
Bellevue, WA 98008-5452  
Tel. (206) 649-7000

Central Regional Office  
3601 West Washington  
Yakima, Washington 98903-1164  
Tel. (509) 575-2800

Southwest Regional Office  
7272 Cleanwater Lane  
Olympia, Washington 98504-6811  
Tel. (206) 586-6380

Eastern Regional Office  
N. 4601 Monroe, Suite 100  
Spokane, Washington 99205-1295  
Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.