

CHRISTINE O. GREGOIRE  
Director

W11506



15 MAR 93 11:00

401.534.8051

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

February 3, 1993

Mayor Gorgenson  
City of DuPont  
301 Barksdale Ave.  
DuPont, WA 98327-9998

RECEIVED  
MAR 2 - 1993  
CITY OF DUPONT

Dear Mayor Gorgenson:

Re: Ground Water Permit No. G 2-27450

Application No. G 2-27450 has been approved to allow withdrawals from Bell Hill Well No 2. A permit will be issued after the required 30 day appeal period and upon payment of the statutory fee. Enclosed is an Amended Report of Examination which summarizes our findings and recommendations, and which reflects the assignment of the application to the City of DuPont, and changes requested by Tamara Nack of Gray & Osborne, Inc..

Issuance of this permit is an appealable decision under Chapter 43.21B Revised Code of Washington. To submit an appeal, contact the Pollution Control Hearings Board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send the permit fee of \$20.00 within 30 days, payable to Department of Ecology.

Sincerely,

*Gale Blomstrom*

Gale Blomstrom  
Water Resources Supervisor

GB:DD:th  
Enclosure

permit fee OK  
Send permit  
3/16/93  
SF

CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

March 3, 1993

City of Dupont  
301 Barksdale Ave  
Dupont, Washington 98327

Dear Sir or Madame:

Effective January 19, 1993, Ground Water Application No. G 2-27450 was assigned to you from Weyerhauser Real Estate, of Pierce County, Washington.

Sincerely,

Sheri Fox  
Water Resources

SF:th

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

ASSIGNMENT OF APPLICATION OR PERMIT TO APPROPRIATE WATER

\$5.00 ASSIGNMENT FEE

I, Weyerhaeuser Real Estate, of Pierce County  
(Applicant/Permittee) (County)  
Washington, do hereby assign, transfer and set over unto City of DuPont  
(State) (Assignee)  
of 301 Barksdale Avenue, DuPont, WA 98327,  
(Address)  
(206) 964-8121, all of my right, title and interest in and to Application  
(Phone Number) (Application/Permit)  
Number G2-27450 for the appropriation of waters of Well (1000gpm)  
(Stream, Lake, Spring, Well, etc.)  
in Pierce County, as said Application appears of record in the  
(Application/Permit)  
office of the Department of Ecology, Olympia, Washington.

Witness my hand this 23rd day of November, 19 92.

Robert L. Shedd

Applicant(s) Permittee

Vice President, Weyerhaeuser Real Estate Company

Assignee

OK to assign  
1/19/93

STATE OF WASHINGTON

County of King

} ss.

I Robert L. Shedd, being first duly sworn, depose and say that I have  
(Applicant/Permittee)  
read the above Assignment of Application or Permit to Appropriate Water; that I know the contents thereof; and that the  
facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 23rd day of November, 19 92.

Robert L. Shedd

(Applicant/Permittee)

Vice President, Weyerhaeuser Real Estate Company

Subscribed and sworn to before me this 23rd day of November, 19 92.

Janet A. Buck

Notary Public

CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

February 3, 1993

Mayor Gorgenson  
City of DuPont  
301 Barksdale Ave.  
DuPont, WA 98327-9998

Dear Mayor Gorgenson:

Re: Ground Water Permit No. G 2-27450

Application No. G 2-27450 has been approved to allow withdrawals from Bell Hill Well No 2. A permit will be issued after the required 30 day appeal period and upon payment of the statutory fee. Enclosed is an Amended Report of Examination which summarizes our findings and recommendations, and which reflects the assignment of the application to the City of DuPont, and changes requested by Tamara Nack of Gray & Osborne, Inc..

Issuance of this permit is an appealable decision under Chapter 43.21B Revised Code of Washington. - To submit an appeal, contact the Pollution Control Hearings Board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send the permit fee of \$20.00 within 30 days, payable to Department of Ecology.

Sincerely,

Gale Blomstrom  
Water Resources Supervisor

GB:DD:th  
Enclosure