



APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION
(GRAY BOXES FOR OFFICE USE ONLY)

29 MAR 91 11:33

APPLICATION NO. G 228195	W.R.I.A. 13	COUNTY Thurston	PRIORITY DATE 3/29/91	TIME 1:33	ACCEPTED SF
------------------------------------	-----------------------	---------------------------	---------------------------------	---------------------	-----------------------

APPLICANT'S NAME - PLEASE PRINT
CITY OF TUMWATER

Bus. Tel. **754 4140**
Home Tel. _____
Other Tel. _____

ADDRESS (STREET) (CITY) (STATE) (ZIP CODE)
555 Israel Road S.W. Tumwater WA 98501

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) UNNAMED SOURCE as required by SEPA and find that it is: <input type="checkbox"/> not an "action". <input checked="" type="checkbox"/> categorically exempt.	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) Well # 13
TRIBUTARY	SIZE AND DEPTH 12 inch diameter x 199 feet

2. DATE SIGNATURE USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
Municipal Supply, Irrigation - Ground Temperature Control

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: CUBIC FEET PER SECOND (CFS) OR GALLONS PER MINUTE (GPM) ACRE FEET PER YEAR
600 **970**

TIMES DURING YEAR WATER WILL BE REQUIRED
Year around as needed

IF IRRIGATION, NUMBER OF ACRES IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC. IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY **29,000**

DATE PROJECT WAS OR WILL BE STARTED DATE PROJECT WAS OR WILL BE COMPLETED
June 30, 1969

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWNSHIP N.	RANGE

ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

1100 FEET NORTH + 1240 FEET EAST OF THE South quarter corner of Sec 11

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	COUNTY
NE1/4 SW 1/4 SE 1/4	11	17	2W	Thurston

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER
Port of Olympia, 915 North Washington Street, Olympia, WA

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

Areas within City of Tumwater municipal Boundaries, together with service to customers in the City of Olympia and in presently unincorporated areas within the Urban Growth Management boundary.

Area served by City of Tumwater

The City of Tumwater owns some property; otherwise, the land is held privately by customers. ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.) YES NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

Ground water: Permit #9011, Certificate G2-00271C; 857-D; 858-D; 859-D; 547-A; 5402-A; 7582-A; G2-26031; G2-26816; G2-07765P

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

The size of the submersible well pump is 60hp with a capacity of approximately 600gpm. This well will be connected to the City of Tumwater utility with approximately 5000+ feet of new 12- and 16-inch water main running from the intersection of Capitol Boulevard and Airdustrial Way. Pumps and motors will be sized per TDH requirements for potential of 600gpm.

*Alternating use from IRRIGATION and then Municipal. If this old well is not capable a new well will be drilled near the old well.

REMARKS

7. This water right application is in effect changing the existing water right, permit # 9011, page G2-00271C to: 970 ac-ft/yr from 60 ac-ft/yr; purpose: to municipal supply which could include commercial uses such as ground temperature control and irrigation; the rate of withdrawal will remain the same at 600gpm; the period of use will extend to year around.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Gerald M. Hendricks

Gerald M. Hendricks
Director of Public Works

R.O. MALIN, ACTING DEPUTY DIRECTOR
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

R.O. Malin
LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

PORT OF OLYMPIA, P.O. BOX 827 OLYMPIA WA 98507
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } ss.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

.....
In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....