



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane • PO Box 47775 • Olympia, Washington 98504-7775 • (206) 753-2353

October 5, 1994

Mr. Gordon Moore
SE 1160 Binn Swiger Loop
Shelton, WA 98584-9312

Dear Mr. Moore:

Re: Ground Water Permit No. G2-28401

Enclosed is Permit No. G2-28401. Our information indicates that your system has been completed.

Also enclosed is a Proof of Appropriation form which is to be filed when the water has actually been put to full beneficial use.

The fees for filing and recording your final certificate of water right are:

\$5.00 payable to the Department of Ecology

\$8.00 payable to the Mason County Auditor

Please send two separate remittances and the completed Proof of Appropriation form (with notarized signature) to this office.

You must contact this office if you cannot put the water to full beneficial use by September 1, 1995. Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:bk
Enclosures





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (206) 407-6300

July 25, 1994

Gordon Moore
SE 1160 Binn Swiger Loop
Shelton, Washington 98584-9312

Dear Mr. Moore:

Re: Ground Water Permit No. G2-28401

Your application has been approved. A permit will be issued upon payment of the statutory fee. Enclosed is the Report of Examination summarizing our findings and recommendations.

Issuance of this Report of Examination is an appealable decision under Chapter 43.21B Revised Code of Washington. To submit an appeal, contact the Pollution Control Hearings board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee of \$20.00 within 30 days. Make your check payable to Department of Ecology.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:ds
Enclosure

