



State of Washington Application for a Water Right

Please follow the attached instructions to avoid unnecessary delays.

RECEIVED
AUG 25 2006
Washington State
Department of Ecology

For Ecology Use
Fee Paid _____
Date _____

Section 1. APPLICANT - PERSON, ORGANIZATION, OR WATER SYSTEM

Name: Public Utility District #1 of Clallam County _____ Home Tel:(360) 452 - 9771 _____
Mailing Address: PO Box 1090 _____ Work Tel:(360) 565 - 3449 _____
City: Port Angeles _____ State: WA Zip+4: 98362 + _____ FAX:(360) 565 - 1162 _____

Section 2. CONTACT - PERSON TO CALL ABOUT THE APPLICATION

Same as above

Name: Tom Martin _____ Home Tel:() _____ - _____
Mailing Address: PO Box 1090 _____ Work Tel:(360) 565 - 3449 _____
City: Port Angeles _____ State WA Zip+4 98362 + _____ FAX:(360) 565 - 1162 _____
Relationship to applicant: Assistant Superintendent of Water and Wastewater Systems _____

Section 3. STATEMENT OF INTENT

The applicant requests a permit to use not more than 510 _____ (gallons per minute or cubic feet per second) from a surface water source or ground water source (check only one) continuous, year-round withdrawal for the purposes of Domestic/Public Supply, Industrial/Manufacturing/Commercial, and Road Construction/Maintenance.

ATTACH A "LEGAL" DESCRIPTION OF THE PLACE OF USE. (See instructions.) NOTE: A tax parcel number or a plat number is not sufficient.

Area served by Clallam County Public Utility District No. 1 within Sections 7-11, 14-18, 19-23, Township 30 North, Range 4 West, W.M., Clallam County, Washington; all west of the Dungeness River.

Area served by former Sequim Valley Water Association within S 1/2 of SE 1/4 of NE 1/4 and NE 1/4 of SE 1/4 of Section 22, Township 30 North, Range 4 West, W.M., Clallam County, Washington.

The Carlsborg Urban Growth Area, which is located within the sections listed above.

See maps of the above places of use in the attached portions of the Clallam County PUD Water System Plan.

Estimate a maximum annual quantity to be used in acre-feet per year: 215 _____

Check if the water use is proposed for a short-term project. Indicate the period of time that the water will be needed:

From ___/___/___ to ___/___/___

Section 5. GENERAL WATER SYSTEM INFORMATION

A. Name of system, if named: Carlsborg Water System of Clallam County PUD _____

B. Briefly describe your proposed water system. **(See instructions.)**

The Carlsborg water system was created through consolidation of four former LUDs (LUD Nos. 10, 12, 13 and 14) and the former Sequim Valley Tracts Water System. Although each of these water systems was developed independently, they are now all interconnected. The Carlsborg Water System's Department of Health Identification Number is 003070. The existing infrastructure for Carlsborg includes a groundwater source (three wells), treatment facility, storage tanks, distribution system piping, and a booster pump station. There are about 210 service connections included in this water system. The groundwater source is the middle aquifer west of the Dungeness River, from which three existing wells withdraw water. The deep aquifer would be added as a future water source, if necessary, to supply an estimated 1400 connections by the year 2020. Additional pumping capacity would be installed in one, two or all three wells. See attachments for Log of the three wells.

C. Do you already have any water rights or claims associated with this property or system? YES NO
 PROVIDE DOCUMENTATION.

Water Certificate No. G2-27681C
 Water Certificate No. #5855-A
 Water Certificate No. G2-22899C

Section 6. DOMESTIC / PUBLIC WATER SUPPLY SYSTEM INFORMATION
(Completed for all domestic/public supply uses.)

A. Number of "connections" requested: 1400 Type of connection: Residential, Industrial and Commercial, School

B. Are you within the area of an approved water system? YES NO
 If yes, explain why you are unable to connect to the system. *Note: Regional water systems are identified by your County Health Department.*
 Yes, the service area includes the existing approved Carlsborg Water System of Clallam County PUD.

Complete C. and D. only if the proposed water system will have fifteen or more connections.

C. Do you have a current water system plan approved by the Washington State Department of Health? YES NO
 If yes, when was it approved? September 2003 Please attach the current approved version of your plan.

D. Do you have an approved conservation plan? YES NO
 If yes, when was it approved? Sept. 2003 / June 2006. Please attach the current approved version of your plan.

Section 7. IRRIGATION/AGRICULTURAL/FARM INFORMATION
(Complete for all irrigation and agriculture uses.)

A. Total number of acres to be irrigated: 0

B. List total number of acres for other specified agricultural uses:

Use _____ Acres _____

C. Total number of acres to be covered by this application: _____

D. Family Farm Act (Initiative Measure Number 59, November 3, 1977, as amended by Chapter 237, Laws of 2001)
 Add up the acreage in which you have a controlling interest, including only:
 ‡ Acreage irrigated under water rights acquired after December 8, 1977;
 ‡ Acreage proposed to be irrigated under this application;
 ‡ Acreage proposed to be irrigated under other pending application(s).

1. Is the combined acreage greater than 6000 acres? YES NO
 2. Do you have a controlling interest in a Family Farm Development Permit? YES NO
 If yes, enter permit no: _____

E. Farm uses:
 Stockwater - Total # of animals _____ Animal type _____ (If dairy cattle, see below)
 Dairy - # Milking _____ # Non-milking _____

Section 8. WATER STORAGE

Will you be using a dam, dike, or other structure to retain or store water?

YES NO

NOTE: If you will be storing 10 acre-feet or more of water and/or if the water depth will be 10 feet or more at the deepest point, and some portion of the storage will be above grade, you must also apply for a reservoir permit. You can get a reservoir permit application from the Department of Ecology.


Section 9. DRIVING DIRECTIONS

Provide detailed driving instructions to the project site.

Exit Highway 101 to North in Carlsborg, on to Carlsborg Road. To go to Sequim Valley Tract wells, go north on Carlsborg Road about 400 feet, and then turn right on to Smithfield Drive. The wells are on the north side of the street at the intersection with Bennett Place. To go to the Carlsborg Well, go north on Carlsborg Road about 0.5 miles, and then turn right onto Business Park Loop. Go about 0.2 miles and turn right to access driveway (currently shared by Olympic Springs Water and Jamestown Fish Companies). The well house is at the end of the driveway on the left side.

Section 10. REQUIRED MAP

A. Attach a map of the project. (See instructions.)



Section 11. PROPERTY OWNERSHIP

A. Does the applicant own the land on which the water will be used? YES NO
If no, explain the applicant's interest in the place of use and provide the name(s) and address(es) of the owner(s):

Currently, Clallam County PUD supplies municipal drinking water to Carlsborg Area residential, commercial and industrial customers located within Local Utility Districts (LUDs) #10, #12, #13 and #14. This application is to supply drinking water to meet the estimated water demands in the year 2020 of customers in these four LUD's and in an additional area that comprises the portion of the Carlsborg Urban Growth Area that is outside of these four LUD's.

B. Does the applicant own the land on which the water source is located? YES NO
If no, submit a copy of agreement:

Clallam County PUD owns the property on which the Sequim Valley Tract Wells are located, but leases from the the Port of Port Angeles the property on which the Carlsborg Well is located. The lease agreement is attached.

I certify that the information above is true and accurate to the best of my knowledge. I understand that in order to process my application, I grant staff from the Department of Ecology access to the site for inspection and monitoring purposes. Even though I may have been assisted in the preparation of the above application by the employees of the Department of Ecology, all responsibility for the accuracy of the information rests with me.

Tom Martin
Applicant (or authorized representative)

23-Aug-2006
Date

Landowner for place of use (if same as applicant, write "same")

Date

APPLICATION

Section 4. WATER SOURCE

If SURFACE WATER	If GROUNDWATER
Name the water source and indicate if stream, spring, lake, etc. If unnamed, write "unnamed spring," "unnamed stream," etc.:	A permit is desired for <u> 3 </u> well(s).
Number of diversions: _____	
Source flows into (name of body of water):	Size & depth of well(s): Carlsborg Well: 8 inch diameter, 300 feet deep Sequim Valley Tract Well #1: 6 inch, 158 feet deep Sequim Valley Tract Well #2: 6 inch, 298 feet deep

LOCATION

Carlsborg Well: 800 feet north and 400 feet west of the south east corner of Section 15.
 Wells #1 and #2: 320 feet north and 300 feet west of East Quarter corner of Section 22.

¼ of	¼ of	Section	Township	Range(E/W)	County	If location of source is platted, complete below:		
						Lot	Block	Subdivision
SE	SE	15	30	4 W.M.	Clallam			
SE	NE	22	30	4 W.M.	Clallam			

For Ecology Use Date Received: 8-25-06 Priority Date: 8-25-06
 SEPA: Exempt/Not Exempt FERC License # _____ Dept. Of Health # _____
 Date Accepted As Complete 9-6-06 By SC Date Returned _____ By _____ WRIA: 18

Appl. No.: 062-30364