

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE September 8, 1992	APPLICATION NUMBER G2-28622	PERMIT NUMBER G2-28622	CERTIFICATE NUMBER
------------------------------------	--------------------------------	---------------------------	--------------------

NAME Dan Forshaw			
ADDRESS (STREET) PO Box 1922	(CITY) Sequim	(STATE) Washington	(ZIP CODE) 98382-1922

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE
Well

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 29	MAXIMUM ACRE-FEET PER YEAR 2.7
-------------------------------	----------------------------------	-----------------------------------

QUANTITY, TYPE OF USE, PERIOD OF USE
2.7 Acre-feet per year Multiple domestic supply Year-round, as needed

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
1,000 feet North and 1,000 feet East of the West quarter corner of Section 13.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) NE¼ SW¼ NW¼	SECTION 13	TOWNSHIP N. 30	RANGE, (E. OR W.) W.M. 4W	W.R.I.A. 18	COUNTY Clallam
--	---------------	-------------------	------------------------------	----------------	-------------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Parcels 1 & 2 of survey recorded in Volume 17 of surveys, page 65, located in the SW¼ of the NW¼ of Section 13, T. 30 N., R. 4 W.W.M. Clallam County, Washington.

DESCRIPTION OF PROPOSED WORKS

A 6" x 126' well.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: March 1, 1998	WATER PUT TO FULL USE BY THIS DATE: March 1, 2001
--	---	--

PROVISIONS

Installation and maintenance of an access port as described in WAC 173-160-355 is required. An air line and gauge may be installed in addition to the access port.

An approved metering device shall be installed and maintained in accordance with RCW 90.03.360, WAC 508-64-020 through -040 (installation, operation, and maintenance requirements are attached). Meter readings shall be recorded at least monthly.

Issuance of this water right may be subject to implementation of the minimum requirements established in the Conservation Planning Requirements, Guidelines and Requirements for Public Water Systems Regarding Water Use Reporting, Demand Forecasting Methodology, and Conservation Programs, July 1994, and as revised.

Under RCW 90.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized in the management of the State's water resources, and must be considered as a potential new source of water. Accordingly, as part of the terms of this water right, the applicant may be required to prepare and implement a water conservation plan approved by Department of Health. The standards for such a plan may be obtained from either the Department of Health or the Department of Ecology.

"The permittee is advised that notice of Proof of Appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent distribution system has been constructed and that quantity of water allocated by the permit has been put to full beneficial use."

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 7th day of May, 1996.

Department of Ecology

ENGINEERING DATA
OK mp

by Gale Stenstrom