



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 5, 2001

CERTIFIED MAIL

City of Longview
1525 Broadway
Longview WA 98632

Dear Sir or Madame:


RE: Water Right Application No. S2-29642

Enclosed is the Department of Ecology's Report of Examination. This report constitutes our determination and order regarding the above referenced application.

Please send your permit fee of \$20.00 within thirty (30) days. Make your check payable to the Department of Ecology.

This Order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days from receipt of this Order. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this Order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,


J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (roeappv.doc)

S





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 1, 2005

City of Longview
Attn Gregory Hannon
1525 Broadway
Longview WA 98632-7080

Dear Mr. Hannon:

Re: Water Right Permit No's. **S2-29641 & S2-29642**

In compliance with your request, you are hereby granted an extension of time until **December 1, 2014**, to put the water to full beneficial use and file a notice of such action under the above mentioned permit.

Please submit the following when the actual water has been put to full beneficial use:

- Proof of Appropriation form filled out and notarized
- **\$42.00** check payable to the **Thurston** County Auditor's Office
- **\$10.00** check payable to the Department of Ecology

Please send both checks to the Department of Ecology and we will forward the Auditor check along with your Certificate to the County Auditor's Office for recording. **Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use.**

If you do not expect to have the water put to full beneficial use by **December 1, 2014**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

Your right to appeal

You have the right to appeal this Report of Examination to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within thirty (30) days of the date of your receipt of this document. To appeal this action or decision, your notice of appeal must contain a copy of the Ecology order, action or decision you are appealing.

Your appeal must be filed with:

The Pollution Control Hearings Board
4224 - 6th Avenue SE, Rowe Six, Bldg. 2
P.O. Box 40903
Lacey, Washington 98504-0903

Your appeal must also be served on:

The Department of Ecology
Appeals Coordinator
P.O. Box 47608
Olympia, Washington 98504-7608


S



In addition, please send a copy of your appeal to:
Department of Ecology
Southwest Regional Office, Water Resources

If you have any questions or concerns about any of this information, please call Tina Russell at (360) 407-6918 or Teresa Hanson at (360) 407-0270.

Sincerely,


Thomas Loranger
Water Resources Section Manager

TL:th (paextension.doc)

S



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 20, 2005

City of Longview
Lowell Marsh
1525 Broadway
Longview WA 98632-7080

Dear Mr. Marsh:

Re: Water Permit No. S2-29641 & S2-29642 (Cowlitz River)

While checking the progress of your water rights, I noticed that you have not sent in the Proof of Appropriation Forms.

If you are using the full amount of water shown on your permits, please fill out the enclosed Proof of Appropriation forms, have them notarized, and returned to this office. The statutory recording fees are to be sent in as two separate remittances in the form of checks or money orders. Cash will NOT be accepted. Send both remittances to the Department of Ecology.

\$10.00 payable to the Department of Ecology
AND
\$42.00 payable to the Cowlitz County Auditor

Also, the County Auditor is requiring that we have the parcel number(s) for the point of withdrawal/diversion and the place of use if different. Please send those numbers to us with your recording fees.

By following the above instruction, your final water rights will be prepared, sent to your County Auditor for recording, and then forwarded to you by your County Auditor.

In addition, one of the provisions of the permits is that a metering device be installed and that meter readings be recorded at **least monthly**. Please include meter readings for a least the past year with the completed Proof of Appropriation form.

If more time is required to put the water to full use, you should request an extension of time in writing. By statute, a **\$5.00 fee per year must accompany such a request, together with a showing of good cause why your extension should be granted and a report of progress made during the last year**. The Proof of Appropriation for your water right permits was due on **December 1, 2004**, if an extension is needed, please send **\$10.00** payable to the Department of Ecology along with your request to extend your file until **December 1, 2005**.

If we do not hear from you within **thirty (30) days** from the date of this letter, we shall be forced to assume that you are no longer interested in retaining the permit, and action will be taken resulting in cancellation.

If you have any questions or concerns about any of this information, please contact Tina Russell at (360) 407-6918 or myself at (360) 407-0270.

Sincerely,

Teresa Hanson
Water Resources





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 29, 2003

City of Longview
Attn Lowell Marsh
1525 Broadway
Longview WA 98632-7080

Dear Mr. Marsh:

Re: Water Right Permit No's. S2-29641 & S2-29642

In compliance with your request, you are hereby granted an extension of time until **December 1, 2004**, to put the water to full beneficial use and file a notice of such action under the above mentioned permit.

Please submit the following when the actual water has been put to full beneficial use:

- ° Proof of Appropriation form filled out and notarized
- ° \$42.00 check payable to the Cowlitz County Auditor's Office
- ° \$10.00 check payable to the Department of Ecology

Please send both checks to the Department of Ecology and we will forward the Auditor check along with your Certificate to the County Auditor's Office for recording. **Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use.**

If you do not expect to have the water put to full beneficial use by **December 1, 2004**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

Thomas Loranger
Water Resources Section Manager

TL:th (paextension.doc)

S





STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 8, 2003

City of Longview
1525 Broadway
Longview WA 98632

Dear Sir or Madam:

Re: Water Permit No. S2-29642

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 2003**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, **your extension request must be made in writing and contain the following:**

1. A description of efforts you have made to complete construction on the project since the permit was issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$5.00** extension fee made payable to the Department of Ecology. At \$5.00 per year this would bring you current until **June 1, 2004**. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson
Water Resources Program

TH:th (ccreminder1.doc)
Enclosure



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 11, 2001

City of Longview
1525 Broadway
Longview WA 98632

Dear Sir or Madame:


Re: Surface Water Permit No. S2-29642

Enclosed is Permit No. S2-29642. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion, which must be filed when you have finished the work.

If you cannot complete your project by **June 1, 2003**, you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,



J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th (permit2)
Enclosures

S



Report of Examination Routing Slip

File No./Location: Y:\Don\Cost Recovery\Avista... | Reports | Final Reports

Letter No: _____

Fee: _____

	<u>Initial</u>	<u>Date</u>
Author	<u>HWA</u>	_____
Hydrogeologist	_____	_____
Lead Review	<u>D</u>	<u>7/24/01</u>
Second Review	<u>SH</u>	<u>7-25-01</u>
Proof Review	_____	_____
Signed by Author	_____	_____
Section Supervisors Approval and Sig.	_____	_____
Tracking	_____	_____

Mail Copies of Report To Following Parties:

Enclosure: (list)

Mailed Originals and cc's TH 10/5/01





P.O. Box 128
Longview, WA 98632-7080

RECEIVED

JUN 22 2001

Washington State
Department of Ecology

June 20, 2001

Department of Ecology
Water Resource Division
Sheri Carroll
P.O. Box 47775
Olympia, WA 98504-7775

Re: Notarized Original Affidavit of Publication
Application No.'s S2-29641 / S2-29642

Dear Sheri

Per your request dated May 18, 2001, the City of Longview formally submits the attached original affidavits of publication for the current water right applications being processed by Ecology.

The publication dates were made on June 8 and June 15, 2001 in the Daily News.

If you have any additional questions or comments, please call me.

Sincerely,

A handwritten signature in black ink, appearing to read "G. Hannon".

Gregory S Hannon
Utilities Administrator

Attachment

cc: Files

S

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 22 2001

Washington State
Department of Ecology

IN THE MATTER NOTICE OF PUBLICATION

Ad Number 57551

City Of Longview

State Of Washington

STATE OF WASHINGTON
COUNTY OF COWLITZ

MARY COUNTS being duly sworn says that she is the CHIEF CLERK of THE DAILY NEWS County, and that the Annexed printed copy is a true copy of the notice in the above entitled matter as it was printed in the regular entire issue of said paper for a period of two insertions commencing on June 08, 2001 and ending on June 15, 2001 and that said newspaper was regularly distributed to its subscribers during all of said period, and that said notice was published in said paper and not in a supplement form. That the full amount of the fee charged for said foregoing publication is the sum of \$63.44 at the rate of \$.979 per line for the first insertion and \$.887 per line for each subsequent insertion. There is also an additional charge of \$10.00 for every additional affidavit copy over two copies.

**State of Washington
Department of Ecology**
NOTICE OF APPLICATION
TO APPROPRIATE PUBLIC
WATERS TAKE NOTICE:
That City of Longview of Longview, Washington on April 24, 1998, under Application No. S2-29642 filed for a permit to appropriate public waters, subject to existing rights, from Cowlitz River tributary to Columbia River in the amount of 8.88 cubic feet per second as needed year round each year for flushing a recreational lake. The source of the proposed appropriation is located within the SW1/4 NE1/4 of Section 27, T. 8 N., R. 2 W.W.M., of Cowlitz County, Washington. Protests of objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from: 6-15-01. Department of Ecology, SWRO, PO Box 47775, Olympia, Washington 98504-7775. Publish: June 8, 15, 2001.

MARY COUNTS

Mary Counts
Subscribed and sworn to before me this
15th day of June 2001



MAUNENA WHITRIGHT

Maunena Whitright
Notary Public for the State of Washington
Residing in Cowlitz County.





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 12, 2001

City of Longview
Lowell Marsh, Utilities Administrator
1525 Broadway
Longview, WA 98632-7080

Dear Mr. Marsh:

I am writing you in regard to the City of Longview's Surface Water Right Application No's. S2-29641 and S2-29642.

The State Environmental Policy Act (SEPA) requires all governmental agencies to consider the environmental impacts of a proposal before making decisions. If you have already filled out a SEPA checklist, please submit it to this office.

If you have questions regarding the environmental review process, please contact Barbara Ritchie, of the Department of Ecology's Environmental Review Section at (360) 407-6922.

Sincerely,

Sheri Carroll
Water Resources

SC:th

S





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 18, 2001

City of Longview
Attn Lowell Marsh
1525 Broadway
Longview WA 98632-7080

Dear Mr. Marsh:

Re: Water Right Application No. S2-29642

We have received your application for appropriation of water and it has been assigned the number referenced above. If you contact us in the future regarding this application, it will help us serve you more quickly if you refer to this application number.

Please complete the following two steps:

1. Enclosed is a notice of your application, which must be published once a week for two consecutive weeks in a newspaper published in **Cowlitz** County. The newspaper should have general circulation in the locality where the water is to be diverted and used, and must be qualified as a legal newspaper. Publishing the notice in a remote part of the county, when not necessary, may cause for you to be required to republish the notice in a designated newspaper. The enclosed newspaper list may help you select an appropriate newspaper for the area.

Publication should start within 30 days from the date of this letter.

To assure accuracy, it is your responsibility to check the notice carefully before having it published. If you find an error, please contact this office for correction and/or resolution. If we later find an error in your public notice, you will be required to re-publish an amended notice at your expense.

2. After publication, the publishing newspaper should provide you with a notarized original Affidavit of Publication, which should be forwarded to our office as soon as possible. Please do not send a photocopy of the affidavit.

If you have any questions or concerns about any of this information, please call (360) 407-0240. Thank you for your attention to this matter.

Sincerely,

Sheri Carroll
Water Resources Program

SC:th (affidavit of publication.doc)