

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PERMIT  
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER       GROUND WATER

PERMIT NUMBER <b>82-21301P</b>	APPLICATION NUMBER <b>82-21301</b>	PRIORITY DATE <b>July 26, 1979</b>
-----------------------------------	---------------------------------------	---------------------------------------

NAME <b>ARTHUR GAINES</b>				
ADDRESS (STREET) <b>Rt 2 Box 236</b>	(CITY) <b>Sequim</b>	(STATE) <b>Washington</b>	(ZIP CODE) <b>98382</b>	

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

SOURCE <b>Unnamed stream</b>		
TRIBUTARY OF THE SURFACE WATERS: <b>Jenny-Come-Lately Creek</b>		
MAXIMUM CUBIC FEET PER SECOND <b>0.01</b>	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR <b>1.0</b>
QUANTITY, TYPE OF USE, PERIOD OF USE <b>1.0 acre-foot per year</b>	<b>domestic supply</b>	<b>continuously</b>
	<b>fire protection</b>	<b>as needed</b>

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION/WITHDRAWAL  
**1400 feet north and 50 feet west of the northeast corner of Sec. 13**

LOCATED WITHIN SMALLEST LEGAL SUBDIVISION <b>15004</b>	SECTION <b>13</b>	TOWNSHIP N. <b>29</b>	RANGE, SE. OR W. W. N. <b>3 W.</b>	W.M.A. <b>17</b>	COUNTY <b>Clallam</b>
---	----------------------	--------------------------	---------------------------------------	---------------------	--------------------------

RECORDED PLATTED PROPERTY

LOT <b>1001</b>	BLOCK <b>10000</b>	OF (GIVE NAME OF PLAT OR ADDITION) <b>10000</b>
--------------------	-----------------------	--

LEGAL DESCRIPTION OF PROPERTY WATER TO BE USED ON

Commencing at the northeast corner of Government Lot 2, Sec. 12, T. 29 N., R. 3 W. N.; thence south 911.5 feet; thence west 16 feet to the true point of beginning; thence south 295.15 feet; thence west 295.15 feet; thence north 295.15 feet; thence east 295.15 feet to point of beginning.

DESCRIPTION OF PROPOSED WORKS

concrete catch basin  
approximately 6000 feet of plastic pipeline to place of use

DEVELOPMENT SCHEDULE

BEGINNING DATE	COMPLETION DATE	DATE COMPLETE APPLICATION OF WATER TO BE MADE
April 1, 1976	April 1, 1977	April 1, 1978

PROVISIONS

Diversions intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch.

It is noted that the point of diversion and/or water transmission facilities are not wholly located upon the land owned by the permittee. Permittee is, accordingly, advised that the issuance of permit by this Department for appropriation of the waters in question does not convey a right of access to, or other right to use, land which the permittee does not legally possess. Obtainment of such right is a private matter between permittee and owner of that land.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 16th day of May, 1975.

JOHN A. BIGGS, Director  
Department of Ecology

by R. Jerry Eollen  
Assistant Director

ENGINEERING DATA

OK