STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

[X] SURFACE WATER [ ] GROUND WATER

PERMIT NUMBER	APPLICATION NUMBER	PRIORITY DATE	
S2-00808P	23720	February 22, 1972	200808

NAME
JERRY AND BARABARA GETZ

ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
Star Route 2 Box 796	Quilcene	Washington	98376

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

SOURCE
Tarboo Creek

TRIBUTARY OF (IF SURFACE WATERS)
Dabob Creek

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR
0.10		20

QUANTITY, TYPE OF USE, PERIOD OF USE

20 acre-feet per year	irrigation of 20 acres	June 1 through September 30 each year

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION/WITHDRAWAL
75 feet east and 300 feet north of the east quarter corner of Sec. 20

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
SE¼SE¼	20	28	1 W	17	Jefferson

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY WATER TO BE USED ON

SE¼NE¼, Sec. 20, AND the SW¼NW¼, Sec. 21; ALL in T. 28 N., R. 1 W.W.M., LESS road.

DESCRIPTION OF PROPOSED WORKS

suction pumping from sump in creek channel
portable gas powered pump, mainline, sprinklers

DEVELOPMENT SCHEDULE

BEGINNING DATE	COMPLETION DATE	DATE COMPLETE APPLICATION OF WATER TO BE MADE
February 1, 1975	February 1, 1976	February 1, 1977

PROVISIONS

Nothing in this permit shall be construed as excusing the permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by local agencies under the Shoreline Management Act of 1971.

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch. Water approach velocity to the screen shall be less than 1 foot per second and approaching 0.5 foot per second, as measured one foot in front of the screen.

~~No dam shall be constructed with this diversion.~~

All diversion shall cease when the flow of Tarboo Creek falls below 3.0 cubic feet per second as measured at the road culvert located in the SW¼SW¼, Sec. 33, T. 28 N., R. 1 W.W.M. This minimum flow has been tentatively established from recommendations of the Departments of Fisheries and Game and not by existing statutory procedures. Therefore, at such time as minimum flows are established on this stream in accordance with Chapter 90.22 RCW, this permit shall be conditioned to the extent of the new setting, provided that, under no conditions shall the permittee be subjected to a flow requirement of greater than 3.0 cubic feet per second at the above-referenced gage.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 22nd *day of* February, *19* 74.

JOHN A. BIGGS, *Director*
Department of Ecology

by R. Jerry Bollen
R. Jerry Bollen
Assistant Director

ENGINEERING DATA
OK MM