

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER GROUND WATER

PERMIT NUMBER 82-22686P	APPLICATION NUMBER 82-22686	PRIORITY DATE June 20, 1974
-----------------------------------	---------------------------------------	---------------------------------------

NAME
REUBEN E. NEUSE

ADDRESS (STREET) (CITY) (STATE) (ZIP CODE)
RE 16 Box 399 Olympia Washington 98506

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

SOURCE Woodland Creek		
TRIBUTARY OF (IF SURFACE WATERS) South Bay		
MAXIMUM CUBIC FEET PER SECOND 0.02	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR 1.0
QUANTITY, TYPE OF USE, PERIOD OF USE 1.0 acre-foot per year	domestic supply	continuously

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION/WITHDRAWAL
660 feet west and 1200 feet north from the south quarter corner of Sec. 4

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) SE 1/4	SECTION 4	TOWNSHIP N. 16	RANGE 1E. OR W. W.M. 1 W	W.R.T.A. 13	COUNTY Thurston
--	---------------------	--------------------------	------------------------------------	-----------------------	---------------------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY WATER TO BE USED ON

SE
The east 5 acres of the following described property; LESS the east 1 acre, as follows: commencing at a point where the north line of the SE 1/4 SW 1/4, Sec. 4, T. 16 N., R. 1 W.W.M., intersects one certain creek (near the county road) a point where a smaller creek empties into the first mentioned creek; thence along with and up said smaller creek to the north line of said SE 1/4 SW 1/4 of said section; thence west along said north line to the place of beginning.

DESCRIPTION OF PROPOSED WORKS

pump from creek to house

DEVELOPMENT SCHEDULE

BEGINNING DATE	COMPLETION DATE	DATE COMPLETE APPLICATION OF WATER TO BE MADE
Started	Completed	August 1, 1976

PROVISIONS

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch.

The Water Resources Act of 1971 specifies certain criteria regarding utilization and management of the waters of the State in the best public interest. Issuance of this permit was based on sufficient waters available, at least during portions of the year. However, it is pointed out to the permittee that his use of the water may be subject to regulation at certain times, based on the necessity to maintain water quantities sufficient for preservation of the natural environment.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 3rd day of October, 1975

JOHN A. BIGGS, Director
Department of Ecology

by E. W. Asselstine
E. W. Asselstine
Regional Manager

ENGINEERING DATA
OK P