

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
July 2, 1976	G 2-24223	G 2-24223 P	

NAME  
RICHARD DE MEYER

ADDRESS (STREET) (CITY) (STATE) (ZIP CODE)  
Route 1, Box 1599 Yelm Washington 98597

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

SOURCE well	TRIBUTARY OF (IF SURFACE WATERS)	
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 50 gpm	MAXIMUM ACRE-Feet PER YEAR 72.0
QUANTITY, TYPE OF USE, PERIOD OF USE		
3.6 acre-feet per year	irrigation of 1.5 acres	May 1 to October 1 each year
2.0 acre-feet per year	group domestic supply	continuously

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION/WITHDRAWAL  
100 feet East and 800 feet North from South Quarter corner, of Sec. 35.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	W.R.L.A.	COUNTY
SW 1/4 Sec 35	35	16	2 E	11	Thurston

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

That portion of the SW 1/4 of Sec. 35, T. 16 N., R. 2 E.W.M. lying north of Fennell Road. AND that portion of the SW 1/4 described as follows: commencing at the south quarter corner, Sec. 35; thence East on the south line of said Sec. 510 feet; thence North 596 feet; thence West 255 feet; thence South 166 feet; thence West to the North-South center line of Sec. 35; thence South 430 feet to the point of beginning.

DESCRIPTION OF PROPOSED WORKS

Well - 6" x 65'  
 1/3 horsepower with 1" mainline to houses, 3/4" line to lawn and gardens

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: February 1, 1979	WATER PUT TO FULL USE BY THIS DATE: February 1, 1980 2-1-81
--	--	--

2-1-80

PROVISIONS

It is noted that well site and/or water transmission facilities are not wholly located upon the land owned by the permittee. Permittee is, accordingly, advised that the issuance of permit by this Department for appropriation of the waters in question does not convey a right of access to, or other right to use, land which the permittee does not legally possess. Obtainment of such right is a private matter between permittee and owner of that land.

Permittee is advised that notice of proof of appropriation of water (under which final certificate of water right issues) should not be filed until the permanent diversion facilities have been installed together with a mainline system capable of delivering the recommended quantity of water to an existing or proposed distribution system within the area to be served.

The installation of an access port as described in attached Ground Water Bulletin No. 1 shall be required prior to issuance of final certificate of water right. The permittee may for his own convenience, wish to install an airline and gage in addition to the access port.

*This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.*

Given under my hand and the seal of this office at Washington, this 29th day of June 19 78

Department of Ecology

ENGINEERING DATA  
 OR P

by *T. W. ...*