STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

[X] Surface Water (issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology)

[ ] Ground Water (issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
May 24, 1993	S3-29479	S3-29479 P	

NAME
JOE STAPLETON

ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
17417 North Brookside Lane	Colbert	Washington	99005

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE
Pend Oreille River

TRIBUTARY OF (IF SURFACE WATER)
Columbia River

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR
0.02		1

QUANTITY, TYPE OF USE, PERIOD OF USE
0.02 cubic feet per second, 1 acre foot per year, continuously, for single domestic supply.

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION-WITHDRAWAL
200 feet north and 2250 feet west from the S¼ corner of Sec. 35

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
SW¼SW¼	35	36	43 E.	62	Pend Oreille

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
47	1	River Edge Estates

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Lot 47, Block 1, River Edge Estates, being in the SW¼SW¼ of Sec. 35, T. 36 N., R. 43 E.W.M., Pend Oreille, Washington.

DESCRIPTION OF PROPOSED WORKS

1 and 3/4 H.P. pump and distribution system.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
Started	April 1, 1995	April 1, 1996

PROVISIONS

At such time that the Department of Ecology determines that management of the subject waters is necessary and in the public interest, an approved measuring device shall be installed and maintained in accordance with RCW 90.03.360 or WAC 508-64-020 through WAC 508-64-040.

The amount of water granted is a maximum limit that shall not be exceeded and the water user shall be entitled only to that amount of water within the specified limit that is beneficially used and required.

This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

A certificate of water right will not be issued until a final examination is made.

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances, or regulations.

This permit shall be issued subject to Washington Departments of Fisheries and Wildlife screening criteria as outlined in a Hydraulic Project Approval. Please contact the Department of Fisheries, 115 General Administration Building, AX-11, Olympia, WA 98504, Attention: Habitat Management Division, Phone (206) 753-6600; or the Department of Wildlife, 600 Capitol Way North, Mail Stop GJ-11, Olympia, Washington 98501-1091, Attention: Habitat Management Division, Phone (206) 753-3318, to obtain specific requirements for your project.

All diversion shall cease when the flow of Pend Oreille River falls below 8500 cubic feet per second as measured at Ione, Washington. This flow has been tentatively established from recommendations of the Departments of Fisheries and Wildlife. At such time as flows are established on this stream in accordance with Chapter 90.22 RCW, or Chapter 90.54 RCW, this authorization shall be conditioned to the extent of the new setting, provided that, under no conditions shall this diversion be subjected to a more restrictive low flow requirement.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Spokane, Washington,

this 25th day of May, 1994.

Department of Ecology

ENGINEERING DATA
OK cac

by Cindy A. Christian
for GARY E. HANSON, Section Supervisor