

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

| PRIORITY DATE | APPLICATION NUMBER | PERMIT NUMBER | CERTIFICATE NUMBER |
|----------------|--------------------|---------------|--------------------|
| March 24, 1989 | G 2-27511 | G 2-27511 P | |

| NAME | | | |
|-----------------------|---------|------------|----------|
| Joe S. Blue | | | |
| ADDRESS (STREET) | CITY | STATE | ZIP CODE |
| 3749 - 36th Avenue SW | Olympia | Washington | 98502 |

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATER TO BE APPROPRIATED

| SOURCE | | |
|---|----------------------------|-----------------------------|
| Well | | |
| TRIBUTARY OF (IF SURFACE WATERS) | | |
| | | |
| MAXIMUM CUBIC FEET PER SECOND | MAXIMUM GALLONS PER MINUTE | MAXIMUM ACRES FEET PER YEAR |
| | 55 | 1,300 |
| QUANTITY, TYPE OF USE, PERIOD OF USE | | |
| 1 acre-foot per year - single domestic supply as needed | | |
| 10.4 acre-feet per year - Irrigation - May 1 to October 1 | | |
| 9.7 acres - 4 acres | | |

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION/WITHDRAWAL
450 feet south and 150 feet west of the north quarter corner of Section 5, and easterly of

| LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) | SECTION | TOWNSHIP R. | RANGE, (E. OR W.) S.M. | N.W.S.A. | COUNTY |
|---|---------|-------------|------------------------|----------|----------|
| NEVADA | 5 | 18 | 2W | 13 | Thurston |

RECORDED PLATTED PROPERTY

| LOT | BLOCK | OF (GIVE NAME OF PLAT OR ADDITION) |
|-----|-------|------------------------------------|
| | | |

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Parcel #12605210200, Lot 21-02, 3749 - 36th Loop SW, Olympia, WA. The following restrictions apply:
That portion of Government Lot 1, Sec. 5, T. 18 N., R. 2 W., S. 13 N., which is described as follows:
Beginning at a point on the north line of Section 5, distance 1,998 feet (as measured on said north line) easterly from the NW corner thereof; thence continuing easterly on said north line 328 feet, more or less, to the east line of the east 10 rods of said Government Lot 1; thence westerly along the south line of Government Lot 1, a distance of 328 feet, more or less, to a point which is south of the point of beginning; thence north 1,320 feet, more or less, to the point of beginning. Except county road known as Adams Road adjoining on the north in Thurston County, Washington.

DESCRIPTION OF PROPOSED WORKS

A six inch diameter drilled well having a depth of 60 feet below land surface.
A 5 hp submersible pump through a two inch mainline.

DEVELOPMENT SCHEDULE

| BEGIN PROJECT BY THIS DATE: | COMPLETE PROJECT BY THIS DATE: | WATER PUT TO FULL USE BY THIS DATE: |
|-----------------------------|--------------------------------|-------------------------------------|
| Started | Complete | October 1, 1990 <i>1991 10-1-92</i> |

PROVISIONS

Installation and maintenance of an access port as described in Ground Water Bulletin No. 1 is required. An air line and gauge may be installed in addition to the access port.

Permittee is advised that notice of proof of appropriation of water (under which final certificates of water right issue) should not be filed until the permanent diversion facilities have been installed together with a mainline system capable of delivering the recommended quantity of water to an existing or proposed distribution system within the area to be served.

That portion of this authorization relating to irrigation is classified as a Family Farm Permit in accordance with Chapter 90.66 RCW (Initiative Measure No. 59). This means the land being irrigated under this authorization shall comply with the following definition: Family Farm a geographic area including not more than 2,000 acres of irrigated agricultural lands, whether contiguous or noncontiguous, the controlling interest in which is held by a person having a controlling interest in no more than 2,000 acres of irrigated agricultural lands in the State of Washington which are irrigated under water rights acquired after December 8, 1977. Furthermore, the land being irrigated under this authorization must continue to conform to the definition of a family farm.

Water users should understand that quantities recommended and the number of acres to be irrigated may be reduced at the time of issuance of a final water right commensurate with the capacity of the installed system and the number of acres actually irrigated.

A well log of the completed well shall be submitted by the driller to the Department of Ecology within thirty (30) days of completion of this well. This well log shall be complete and all information concerning the static water level in the completed well, in addition to any pump test data, shall be submitted as it is obtained.

In accordance with WAC 173-160-205 wells shall not be located within certain minimum distances of potential sources of contamination. These minimum distances shall comply with local health regulations as appropriate. In general, wells shall be located at least 100 feet from a sewer, septic tank privy, or other source of contamination. Wells shall not be located within 1,000 feet of a solid waste landfill.

The Water Resources Act of 1971 specifies certain criteria regarding utilization and management of the waters of the State in the best public interest. Issuance of this permit was based on sufficient waters available, at least during portions of the year. However, it is pointed out to the permittee that his use of the water may be subject to regulation at certain times, based on the necessity to maintain water quantities sufficient for preservation of the natural environment.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at

Washington, this 18th..... day

of January..... 1990.....

Christine O. Gregoire, Director
Department of Ecology

ENGINEERING DATA

by *[Signature]*