

STATE OF WASHINGTON
DEPARTMENT OF CONSERVATION
Division of Water Resources

Permit to appropriate Public Waters of the State of Washington

Book No. 32 of Permits, on Page 12356 Under Application No. 14421

LAWRENCE N. AND PATRICIA K. NEEDMAN

of East Olympia, Washington
is hereby granted a permit to appropriate the following described public waters of the State of Wash-
ington, subject to existing rights and to the following limitations and provisions: Permittee shall con-
struct and maintain at his own expense a weir, or other suitable device, for measuring any water granted
herein for irrigation purposes and such appropriation shall be subject to a reasonable rotation system
if ordered by the State Supervisor of Water Resources. Diversion intake shall be tightly screened
at all times with wire having a mesh opening not greater than 0.125 (1/8) inch.

Priority date of this permit is April 6, 1961

Source of the proposed appropriation is Unmined spring

~~tributary~~
The quantity of water appropriated shall be limited to the amount which can be beneficially ap-
plied and not to exceed 0.01 cubic feet per second, or its equivalent in case of rotation, to
be used for the following purposes: Domestic supply and stock water

as more definitely set out below.

The approximate point of diversion is located 750 feet north and 350 feet east from the
west quarter corner of Sec. 14.

being within Washinton Sec. 14, Twp. 17 N., Rge. 1 W. W. M.,
county of Thurston

The use, or uses, to which water is to be applied:
FOR DOMESTIC SUPPLY AND MISCELLANEOUS USES: 0.01 cubic feet per second during entire
year for domestic supply and stock water to be used
within Washinton Sec. 14, Twp. 17 N., Rge. 1 W. W. M.,
FOR IRRIGATION: _____ cubic feet per second, _____ acre-feet per year, from _____
to _____ each year, for irrigation of _____ acres, described as follows:

FOR POWER: cubic feet per second continuously each year. Total power to be developed theoretical horse power. Total fall to be utilized feet.

Nature of works by means of which power is to be developed

Works to be located in Sec., Twp. N., Rge. W. M.

Water to be returned to

Point of return Sec., Twp. N., Rge. W. M.

Use to which power is to be applied

FOR MUNICIPAL SUPPLY: cubic feet per second during entire year to supply

DESCRIPTION OF DIVERSION WORK

Height of dam ft.; Length on top ft.; Length on bottom ft.

Material to be used and character of construction

Description of headgate gravity system

CANAL SYSTEM

AT HEADGATE: Width on top (at water line) ft.; Width on bottom ft.;

Depth of water ft.; Grade ft. fall per one thousand feet.

At MILES FROM HEADGATE: Width on top (at water line) ft.; Width on

bottom ft.; Depth of water ft.; Grade feet per one thousand feet.

(Please read carefully provisions below)

Construction work shall begin on or before July 1, 1962

and shall thereafter be prosecuted with reasonable diligence and completed on or before

July 1, 1963

and complete application of water to proposed uses shall be made on or before

July 1, 1964

Given under my hand and the seal of this office at Olympia, Washington, this 11th day of

July, 19 61

M. Walker
State Supervisor of Water Resources