

STATE OF WASHINGTON  
DEPARTMENT OF WATER RESOURCES  
Division of Water Management

Permit to appropriate Public Waters of the State of Washington

Book No. 37 of Permits, on Page 14912 Under Application No. 20371

EVERETT and MARIAN S. HOUSE

of Anchorage, Alaska

is hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the following limitations and provisions: Permittee shall construct and maintain at his own expense a weir, or other suitable device, for measuring any water granted herein for irrigation purposes and such appropriation shall be subject to a reasonable rotation system if ordered by the Department of Water Resources.

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch.

Priority date of this permit is July 13, 1967

Source of the proposed appropriation is unnamed stream  
tributary of Quilcene Bay

The quantity of water appropriated shall be limited to the amount which can be beneficially applied and not to exceed 0.01 cubic feet per second, or its equivalent in case of rotation, to be used for the following purposes: domestic supply

as more definitely set out below.

The approximate point of diversion is located 1050 feet south and 250 feet west from east quarter corner of Sec. 30

being within Government Lot 3 Sec. 30, Twp. 27 N., Rge. 1 W. W. M.,  
county of Jefferson

The use, or uses, to which water is to be applied: 1 acre-foot per year  
FOR DOMESTIC SUPPLY AND MISCELLANEOUS USES: 0.01 cubic feet per second during entire  
year for domestic supply to be used  
within See below Sec. \_\_\_\_\_, Twp. \_\_\_\_\_ N., Rge. \_\_\_\_\_ W. M.,

FOR IRRIGATION: \_\_\_\_\_ cubic feet per second, \_\_\_\_\_ acre-feet per year, from \_\_\_\_\_  
to \_\_\_\_\_ each year, for irrigation of \_\_\_\_\_ acres, described as follows:

**The south 400 feet of the north 1200 feet of Government Lot 3,  
Sec. 30, T. 27 N., R. 1 W., LESS road.**

FOR POWER: \_\_\_\_\_ cubic feet per second continuously each year. Total power to be developed \_\_\_\_\_ theoretical horse power. Total fall to be utilized \_\_\_\_\_ feet.

Nature of works by means of which power is to be developed \_\_\_\_\_

Works to be located in \_\_\_\_\_ Sec. \_\_\_\_\_, Twp. \_\_\_\_\_ N., Rge. \_\_\_\_\_ W. M.

Water to be returned to \_\_\_\_\_ Point of return \_\_\_\_\_ Sec. \_\_\_\_\_, Twp. \_\_\_\_\_ N., Rge. \_\_\_\_\_ W. M.

Use to which power is to be applied \_\_\_\_\_

FOR MUNICIPAL SUPPLY: \_\_\_\_\_ cubic feet per second during entire year to supply \_\_\_\_\_

**DESCRIPTION OF DIVERSION WORK**

Diversion works unknown at this time. Probably a gravel packed catch basin in stream channel, gravity pipeline. Height of dam \_\_\_\_\_ ft.; Length on top \_\_\_\_\_ ft.; Length on bottom \_\_\_\_\_ ft.

Material to be used and character of construction \_\_\_\_\_

Description of headgate \_\_\_\_\_

**CANAL SYSTEM**

AT HEADGATE: Width on top (at water line) \_\_\_\_\_ ft.; Width on bottom \_\_\_\_\_ ft.; Depth of water \_\_\_\_\_ ft.; Grade \_\_\_\_\_ ft. fall per one thousand feet.

AT \_\_\_\_\_ MILES FROM HEADGATE: Width on top (at water line) \_\_\_\_\_ ft.; Width on bottom \_\_\_\_\_ ft.; Depth of water \_\_\_\_\_ ft.; Grade \_\_\_\_\_ feet per one thousand feet.

(Please read carefully provisions below)

Construction work shall begin on or before \_\_\_\_\_ August 1, 1970

and shall thereafter be prosecuted with reasonable diligence and completed on or before \_\_\_\_\_ August 1, 1972

and complete application of water to proposed uses shall be made on or before \_\_\_\_\_ August 1, 1973

Given under my hand and the seal of this office at Olympia, Washington, this \_\_\_\_\_ 30th \_\_\_\_\_ day of \_\_\_\_\_ October \_\_\_\_\_, 19 67

*[Handwritten Signature]*

Assistant Director  
Division of Water Management  
Department of Water Resources

*[Handwritten Initials]*