

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Permit to Appropriate Public Surface Waters of the State of Washington

Book No. of Permits, on Page 82-20395P Under Application No. 82-20395

GEORGE E. MOYER

of Moses Lake, Washington 220395
wa.

is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public surface waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

Priority date of this permit is July 17, 1972

Source of the proposed appropriation is an uncanal spring and an uncanal stream
tributary of Hood Canal

The quantity of water appropriated shall be limited to the amount which can be beneficially applied and not to exceed 0.04 cubic feet per second, 4.0 acre-feet per year, or its equivalent in case of rotation, to be used for the following purposes: domestic supply and irrigation, as more definitely set out below.

The approximate point(s) of diversion is/are: Spring: 1500 feet south and 1500 feet east;
Irrigation: 1400 feet south and 2000 feet east; 1/4 mile from the northwest corner of
Sec. 36

being within Tracts 8 and 9 of the plat of Seahome
of Sec. 36, Twp. 27 N., Rge. 1 W. W.M., Jefferson County.

The use, or uses, to which water is to be applied:

Domestic/~~irrigation~~ supply 0.01 cubic feet per second, 1 acre-feet per year, during entire year.

Irrigation: 0.03 cubic feet per second, 3.0 acre-feet per year from May 1 to September 30 each year, for irrigation of 1.5 acres.

Other use(s) ; cubic feet per second, acre-feet per year, from to each year.

LEGAL DESCRIPTION OF LANDS UPON WHICH THIS WATER IS TO BE USED:

Tracts 8 and 9 of the plat of Seahome, Sec. 36, T. 27 N., R. 1 W.W.M.

FOR POWER: _____ cubic feet per second continuously each year. Total power to be developed _____ theoretical horse power. Total fall to be utilized _____ feet.
Works to be located in _____ Sec. _____, Twp. _____ N., Rge. _____ W.M.
Water to be returned to _____
Point of return _____ Sec. _____, Twp. _____ N., Rge. _____ W.M.
Use to which power is to be applied _____

ADDITIONAL LIMITATIONS AND PROVISIONS: Permittee shall construct and maintain at his own expense a weir, or other suitable device, for measurement of water related to this appropriation, as required by the Department of Ecology.

Diversion intake shall be tightly screened at all times with wire mesh having openings with dimensions not greater than .125 (1/8) inch. Water approach velocity on the screen shall be less than 1 foot per second and approaching 0.5 foot per second, as measured one foot in front of the screen.

No dam shall be constructed in connection with this diversion.

Nothing in this permit shall be construed as excusing the permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by local agencies under the Shoreline Management Act of 1971.

DESCRIPTION OF PROPOSED WORKS

simple screened suction line diversion

DEVELOPMENT SCHEDULE:

Construction work shall begin on or before _____

Started _____

and shall thereafter be prosecuted with reasonable diligence and completed on or before _____

Completed _____

and complete application of water to proposed uses shall be made on or before _____

August 1, 1974

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington, this 14th day of August 1973.

JOHN A. BIGGS, Director
Department of Ecology

ENGINEERING DATA

OK *JM*

by

R. Jerry Bollen
Assistant Director